


Hustler® Parts Manual



200 South Ridge Road

Hesston, Kansas

67062



NOTICE OF REQUIREMENT OF SPARK ARRESTER MUFFLER

This equipment may create sparks that can start fires around dry vegetation. California Public Resources Code Section 4442.6 provides that it is unlawful to use or operate an internal combustion engine on any forest-covered, brush-covered, or grass-covered land unless the engine is equipped with a spark arrester maintained in effective working order. A spark arrester is a device constructed of nonflammable materials specifically for the purpose of removing and retaining carbon and other flammable particles over 0.0232 of an inch in size from the exhaust flow of an internal combustion engine that uses hydrocarbon fuels or which is qualified and rated by the United States Forest Service. Other states or federal areas may have similar laws. The Operator Should Contact Local Fire Agencies For Laws or Regulations Relating to Fire Prevention Requirements. THIS EQUIPMENT DOES NOT HAVE A SPARK ARRESTER AND YOU SHOULD CONTACT YOUR AUTHORIZED DEALER FOR THE PURCHASE OF A SPARK ARRESTER.

Inspect spark arrester daily; replace every 500 hours or as needed.

The Engine Owner's Manual provides information regarding the U.S. Environmental Protection Agency (EPA) and the California Emission Control Regulation of emission systems, maintenance and warranty.

Keep Engine Owner's Manual with your unit. Should the Engine Owner's Manual become damaged or illegible, replace immediately. Replacements may be ordered per the information found in the Product Information section of the owner's manual.

Federal law and California State law prohibit the following acts or the causing thereof:

1. The removal or rendering inoperative by any person other than for purposes of maintenance, repair, replacement, of any device or element of design incorporated into any equipment for the purposes of emissions control prior to or after its sales or delivery to the ultimate purchaser or while it is in use, or
2. The use of the equipment after such device or element of design has been removed or rendered inoperative by any person.

General Information	1
Frame & Engine Guard	
Frame	3-1
Engine Guard & Hitch	3-2
Transmissions & Steering	
Transmission Assembly & Drive Belt	4-1
Transmission Service Parts	4-2
Steering & Brake (Multi-Page)	4-3
Steering Assembly	4-4
Steering Box Assembly Breakdown	4-5
Wheels & Tires	
Wheel & Tire - 48" Mowers	5-1
Front Tire Breakdown - 13 X 5 Tire - 48" Mowers	5-2
Wheel & Tire - 54" & 60" Mowers	5-3
Front Tire Breakdown - 13 X 6.5 Tire - 54" & 60" Mowers	5-4
Drive Wheel Breakdown - 20 X 10 Tire - 48" Mowers	5-5
Drive Wheel Breakdown - 23 X 11 Tire - 54" & 60" Mowers	5-6
Engine & Fuel System	
Engine, Muffler & Clutch	6-1
Engine Service Parts	6-2
Fuel System (Multi-Page)	6-3
Fuel Tank Service Parts - 606581	6-4
Electrical, Fenders & Instrument Panel	
Fenders & Battery	7-1
Instrument Panel	7-2
Deck	
48" Side Discharge Service Deck	8-1
48" Side Discharge Deck Pulleys & Spindles	8-2
48" Side Discharge Deck	8-3
48" Rear Discharge Service Deck	8-4
48" Rear Discharge Deck Pulleys & Spindles	8-5
48" Rear Discharge Debris Shield	8-6
48" Rear Discharge Deck	8-7
Rear Discharge CE Guard Kit (Multi-Page)	8-8
54" Service Deck	8-9
54" Deck Pulleys & Spindles	8-10
54" Deck	8-11
60" Service Deck	8-12
60" Deck Pulleys & Spindles	8-13
60" Deck	8-14
Spindle Service Parts - 605380	8-15
Deck Lift (Multi-Page)	8-16
Side Discharge CE Guard Kit (Multi-Page)	8-17
Seat & ROPS	
Seat - S/N 16123305 & Higher	9-1
Seat - S/N Prior to 16123305	9-2
Seat Service Parts - 606474	9-3
Seat Service Parts - 605812	9-4
ROPS	9-5

General Information

This manual covers Hustler® FasTrak® SDX models **933945CE, 933952CE, 933960CE & 934869CE.**

Service Literature

PART NO.	DESCRIPTION
605723CE	OPERATOR'S MANUAL
121669	WARRANTY STATEMENT
121878	GENERAL SERVICE MANUAL

Options Available From Your Dealer

PART NO.	DESCRIPTION
933655	CATCHER
121074	CATCHER ADAPTER KIT 48" DECK
121075	CATCHER ADAPTER KIT 54" DECK
121076	CATCHER ADAPTER KIT 60" DECK
600213	FLEX FORK 48"
605123	FLEX FORK 54" & 60"
121472	STRIPE KIT
121474	MULCH KIT 48" DECK
121475	MULCH KIT 54" DECK
121476	MULCH KIT 60" DECK
121478	HIGH VACUUM KIT 48" DECK
121479	HIGH VACUUM KIT 54" DECK
121480	HIGH VACUUM KIT 60" DECK
121482	LIGHT KIT
333724	STEERING EXTENSION KIT

Note: When ordering parts, you must use the part number as shown for each part, not the index number. Always give the model and serial number to your parts and service representative.

Note: Items sold in bulk such as seals and hoses are sold by the foot.

Using This Manual

This manual is part of a service package for the Hustler® mowers. Use of this manual in conjunction with other Hustler® mower and component manuals will provide the information necessary to service and maintain Hustler® mowers.

This Parts Manual provides a complete parts listing for the unit. Use this manual when ordering parts. Illustrations used were current at the time of printing, but subsequent production changes may cause your machine to vary slightly in detail. Excel Industries, Inc. reserves the right to redesign and change the machine as deemed necessary, without notification. If a change has been made to your machine which is not reflected in this parts manual, see your authorized dealer for current information and parts.

The Service Manual is a service guide for use by Service Technicians. It provides the necessary information needed to perform normal maintenance requirements on these units.

The Operator's Manual provides fundamental operational information and operational safety that is needed when operating the mower.

The component manuals are furnished by the various manufacturers to be used for the troubleshooting and servicing of their products.

Hardware Description Codes & Abbreviations


The following codes are used throughout this parts manual. Refer to this list when ordering parts.

ABBREVIATION	DESCRIPTION	ABBREVIATION	DESCRIPTION
CB	CARRIAGE BOLT	MB	MACHINE BUSHING
CE	CLEVIS PIN	MS	MACHINE SCREW
CN	CLIP NUT	NT	NUT
CP	COTTER PIN	SC	SELF TAPPING CAP SCREW
CS	CAP SCREW	SH	SOCKET HEAD
CW	CUP WASHER	SB	SHOULDER BOLT
FDRW	FENDER WASHER	SS	SET SCREW
FW	FLAT WASHER	OD	OUTSIDE DIAMETER
HX	HEX HEAD	ID	INSIDE DIAMETER
LW	LOCK WASHER	WN	WELD NUT

Standard Torques

The following chart lists the standard torque values for the threaded fasteners found in this manual. Torque all cap screws, nuts and set screws to these values unless a different torque is shown in the Notes section next to the fastener.

SIZE	FT-LBS	N•M	SIZE	FT-LBS	N•M
.250	8.2	11.1	M3	1	1.3
.312	17	23	M4	2.2	3
.375	30	40	M5	4.5	6.1
.438	48	65	M6	7.7	10.4
.500	73	99	M8	18.5	25
.562	105	143	M10	37	50
.625	145	200	M12	64	87
.750	260	350	M14	80	108.5
.875	420	565	M16	160	215
1.00	625	850	M20	320	435
			M24	555	750



Item	Part No.	Qty	Name
1	553087	1	48 FRAME CE - SVC
Not Shown	553088	1	54/60 FRAME CE - SVC
2	808493	12	RIVET NUT, 3/8-16 THREA
3	N/A	1	SERIAL NUMBER / SPEC DECAL
4	776310	1	DECAL, CE MARK
5	789776CE	1	DBA LIMIT DECAL
6	602041	2	DECAL, HOT
7	713198	13 cm	SEAL 3/8x3/4 SOLD BY FT
8	033035	23 cm	WEATHERSTRIP .12X.75
9	601993	1	DECAL, SAFE OPERATION
10	015495	4	GREASE FITTING STRAIGHT


Comments for Page: Frame

SEAL/WEATHERSTRIP LENGTHS

A: 13 cm

B: 23 cm


1. Serial number decal. In the event the serial number decal becomes damaged or illegible, please contact your dealer to order a replacement.
2. Frames include decals and hardware.



Item	Part No.	Qty	Name
1	119977	1	HITCH PLATE
2	025395	6	CB .375-16X 1.00 G5 ZN
3	054502	6	NT .375-16HXG5
4	767954	12	FW 0.379X.82X.06 HD ZN
5	121134	1	GUARD, RH
6	553123	1	SVC PART, STAMPED BUMPER
7	604770	1	DECAL, "H" LOGO
8	121133	1	GUARD, LH
9	052860	6	CS .375-16X1.25 HX G5 ZN

Comments for Page: Engine Guard & Hitch

1. The center guard includes the decal.



Item	Part No.	Qty	Name
1	710087	4	CS .312-18X2.500HXG5
2	768523	16	FW 0.343SAE
3	043067	4	CS .312-18X3.000HXG5
4	704791	1	FW .781X1.25X.02 ZN
5	781153	2	BUSHING, UHMW
6	605468	1	DRIVE BELT
7	025007	1	CS .62511X1.750HXG5
8	607525	1	PULLEY, IDLER
9	600296	1	SPACER, DECK IDLER
10	122722	1	KIT, TENSION ARM
11	016972	1	NT .625-11 HX G5 ZN
12	052860	1	CS .375-16X1.25 HX G5 ZN
13	712919	1	FW 0.406X1.00X.12 HD ZN
14	036384	1	SPRING 1/4 COIL PL 1.23
15	605481	1	BUSHING
16	086660	1	NT .375-16NLG8
17	025296	1	FW .760X1.63X0.08 ZN
18	601084	1	SB .750X 2.000 SH.625-11
19	605500	1	ZT3400, 21.04:1
20	605501	1	ZT3400, 21.04:1
21	058776	8	NT .312-18NLG5
22	608241	2	CS .375-16X2.250HXG8
23	712919	2	FW 0.406X1.00X.12 HD ZN
24	600987	1	ZT SPACER TUBE
25	601982	4	CN .250-20X .150 MAX THK
26	605217	2	RESERVOIR, SINGLE FTNG
Not Shown	600767	2	CAP, OVERFLOW TANK
27	768515	4	FW 0.281SAE
28	055939	4	CS .250-20X0.75 HX G5 ZN
29	601001	4	SPRING CLAMP, .75" DIA
30	605218	2	OVERFLOW HOSE, FST
31	120126	2	LINK, TOW VALVE
32	706549	2	HP0.080X1.190

Comments for Page: Transmission Assembly & Drive Belt


1. Torque to 23 N•m.
2. Torque to 136 N•m.
3. Torque to 41 N•m.

Transmission Assembly & Drive Belt

Hustler FasTrak SDX CE Parts Manual

4. Left side transmission.
5. Right side transmission.
6. Reservoir (605217) includes the cap (600767).



This page intentionally left blank




Item	Part No.	Qty	Name
1	603866	1	FAN/PULLEY KIT
2	607728	1	FAN - 7.0" (10 BLADE)
3	605608	1	FITTING, TRANSMISSION
4	605778	1	RTN, LEFT
Not Shown	605779	1	RTN, RIGHT
5	604903	1	HG RTN SPRING
6	600976	1	HYDRAULIC OIL FILTER
7	601433	1	KIT, HUB 4 BOLT
Comments for Part Num. 601433			
CUSTOMER SERVICE NOTE: Lug Studs are not sold separately.			
8	788877	1	NUT, H-G ZT HUB
9	600975	1	GUARD, TRANS FILTER
Not Shown	600974	1	GUARD, TRANS FILTER
10	603572	1	COVER, ZT3100 CHRG PUMP
11	601221	1	ZT2800 BRAKE ARM - 2007
12	600972	1	CLIP, RETAINING
13	606830	1	OIL RETENSION KIT,
14	607200	1	SEAL KIT 72994 HYDRO-G
15	603223	1	O-RING, ZT28/3100 CHARGE

Comments for Page: Transmission Service Parts


1. The hub kit (601433) includes the nut.
2. The filter guard kits and the charge cover kit include bolts.
3. The left and right returns (605778 & 605779) include springs.



Item	Part No.	Qty	Name
1	605383	1	STEERING BAR W/A, RH
Not Shown	781260	1	GRIP, STEERING BAR
2	605384	1	STEERING BAR W/A, LH
Not Shown	781260	1	GRIP, STEERING BAR
3	767954	24	FW 0.379X.82X.06 HD ZN
4	036244	10	CS .375-16X1.00 HX G5 ZN
5	N/A	1	STEERING ASSEMBLY
6	054502	6	NT .375-16HXG5
7	016832	2	NT .312-18FLKG5
8	768523	10	FW 0.343SAE
9	781922	2	BALL STUD
10	603983	2	DAMPER
11	605724	1	DECAL, FASTRAK SDX
12	086660	4	NT .375-16NLG8
13	605145	2	BRAKE ROD ASSEMBLY
14	080655	2	CS .375-16X1.500HXG5
15	601131	2	SPRING, BRAKE ARM RET.
16	601051	2	OVERTRAVEL SPRING
17	016816	2	NT .250-20FLKG5
18	120671	1	BRAKE SPRING LINK, RS
19	120672	1	BRAKE SPRING LINK, LS
20	055939	2	CS .250-20X0.75 HX G5 ZN
21	600981	2	PUMP ROD ASSEMBLY
22	023655	4	NT 0.312-24 NL G8
23	604456	2	SPACER, PUMP ARM




RIGHT SIDE SHOWN
LEFT SIDE SIMILAR



Comments for Page: Steering & Brake (Multi-Page)

1. The steering bars include the grips.
2. Part of the transmission.



RIGHT SIDE SHOWN
LEFT SIDE SIMILAR


Item	Part No.	Qty	Name
1	064345	2	CS .312-18X2.000HXG5
2	768523	12	FW 0.343SAE
3	086660	2	NT .375-16NLG8
4	767954	4	FW 0.379X.82X.06 HD ZN
5	785220	1	DECAL, STEERING R.S.
6	042630	2	CS .500-13X6.500HXG5
7	704759	4	FW 0.500X1.25X.08 ZN
8	119811	2	SPACER, STEERING
9	552852	1	STEERING BOX (W/DECALS)
10	605542	1	ISOLATOR
11	785139	1	DECAL, STEERING L.S.
12	034280	2	CS .312-18X0.750HXG5
13	033035	15 cm	WEATHERSTRIP .12X.75
14	016832	1	NT .312-18FLKG5
15	725796	2	CS .375-16X4.000HXG5
16	605518	2	STOP, STEERING
17	765339	4	BUSHING,IGUS#0608 (FS)
18	124353-1	1	BRAKE BELL CRANK, RS
19	124352-1	1	BRAKE BELL CRANK, LS
20	058776	4	NT .312-18NLG5
21	604179	2	BRAKE LINK
22	N/A	1	STEERING BOX ASSEMBLY
23	707398	2	NT .500-13 JAM NY LK

Comments for Page: Steering Assembly

WEATHERSTRIP LENGTH:

A: 7.5 cm


1. 552852 (steering cover) includes decals.



Steering Box Assembly Breakdown

Hustler FasTrak SDX CE Parts Manual


Item	Part No.	Qty	Name
1	119807	1	STEER LEVER W/A
2	119750	1	STEER PIVOT W/A, RS
Not Shown	119749	1	STEER PIVOT W/A, LS
3	086660	1	NT .375-16NLG8
4	767954	2	FW 0.379X.82X.06 HD ZN
5	781153	2	BUSHING, UHMW
6	705178	1	CS .375-16X1.750HXG5
7	601087	1	SWITCH, PLUNGER N.O.
8	016832	1	NT .312-18FLKG5
9	768523	1	FW 0.343SAE
10	781922	1	BALL STUD




Item	Part No.	Qty	Name
1	605484	2	TIR/WHL 22X9.50-10 SLV
2	061077	8	WHEEL NUT
3	111875-3	2	BACKUP PLATE, WHEEL
4	705954	2	CS .500-13X1.25 HX G5 ZN
5	344267	2	FW .510X2.15X.19 ZN
6	712976	2	FW 0.531X1.38X.12 ZN
7	784223	4	BEARING
8	784603	2	SPACER
9	N/A	1	FRONT TIRE ASSEMBLY

Comments for Page: Wheel & Tire - 48" Mowers


1. Torque to 88–102 N•m.




Item	Part No.	Qty	Name
1	366625	1	FORK W/A
2	061101	1	NT .750-10 HX ZN NL GR B
3	025296	2	FW .760X1.63X0.08 ZN
4	786731	1	CS .750-10X8.000HXG5
5	605038	1	TIR/WHL 13X5.00-6 SLV
6	786103	2	WHEEL BEARING
7	786079	1	WHL 6X3.25 SLV
8	019521	1	TIRE VALVE TR-412 GOODY
9	605039	1	TIR 13X5.00-6 B4R SMTH
10	747402	1	TIRE 13x5-6 4PLY RIB TL




Item	Part No.	Qty	Name
1	605728	2	TIR/WHL 23X11.00-10 SLV
2	061077	8	WHEEL NUT
3	111875-3	2	BACKUP PLATE, WHEEL
4	705954	2	CS .500-13X1.25 HX G5 ZN
5	344267	2	FW .510X2.15X.19 ZN
6	712976	2	FW 0.531X1.38X.12 ZN
7	784223	4	BEARING
8	784603	2	SPACER
9	N/A	1	FRONT TIRE ASSEMBLY







Item	Part No.	Qty	Name
1	604691	1	FORK W/A
2	041475	1	CS .750-10X9.50 HX G5 ZN
3	025296	2	FW .760X1.63X0.08 ZN
4	061101	1	NT .750-10 HX ZN NL GR B
5	605197	1	TIR/WHL 13X6.50-6 SLV
6	604843	1	TIR 13X6.50-6 B4R SMTH
REF	747741	1	TIR 13X6.50-6 B4R RIB
7	786103	2	WHEEL BEARING
8	605198	1	WHL 6X4.50 SLV
9	019521	1	TIRE VALVE TR-412 GOODY



Item	Part No.	Qty	Name
1	605485	1	TIR 22X9.50-10 B4R LTFT
2	600700	1	WHL 10X7.00 4X4.0 SLV
3	019521	1	TIRE VALVE TR-412 GOODY



Item	Part No.	Qty	Name
1	601347	1	WHL 10X8.50 4X4.0 SLV
2	605727	1	TIR 23X11.00-10 B4R LTFT
3	019521	1	TIRE VALVE TR-412 GOODY



30A FUSE

Item	Part No.	Qty	Name
1		1	KAWASAKI FX691V ENGINE
Not Shown		1	KAWASAKI FX730V ENGINE
2	603524	1	CS M5-0.8 X 50 MM
3	604250	1	MUFFLER
4	767954	4	FW 0.379X.82X.06 HD ZN
5	602580	4	CS .375-16X1.25HXG8ZYP85
6	036236	2	CS .312-18X1.000HXG5
7	768523	5	FW 0.343SAE
8	113946	1	CLUTCH ANCHOR
9	034272	2	NT .312-18HXG5
10	000331	4	WIRE TIE, SMALL/SHORT
11	605490	1	PULLEY, ENG 4.58OP
12	712372	1	KEY 1/4 SQ X 0.66 LG(FS)
13	121809K	1	CLUTCH KIT
14	791251	1	HARNESS, CLUTCH PIGTAIL


Comments for Part Num. 791251

Pigtail was updated with epoxy to hold the wires steady. The wire sheath was also updated to a more flexible material.


15	602680	1	FW .453X1.12X.12 HRD ZN
16	601834	1	CS .437-20X3.25 HXG5 P85
17	604369	1	O-RING
18	604350	1	VALVE, OIL DRAIN
19	605317	1	HOSE, OIL DRAIN
20	720516	1	CS M8-1.25X16HX FL10.9
21	601841	1	BATTERY CABLE, NEG.
22	029876	1	LW .312 INTEXT ZN
23	785063	1	BATTERY CABLE, POSITIVE

Comments for Page: Engine, Muffler & Clutch




1. Supplied with the engine.2. Torque to 61–65 N•m.3. Torque to 41–47 N•m.4. Part of the wire harness.5. Torque to 23 N•m.



Item	Part No.	Qty	Name
1	785261	1	AIR FILTER - MAIN
2	785279	1	AIR FILTER - SAFETY
3	602581	1	ENGINE OIL FILTER
4	068478	1	FUEL FILTER - IN LINE
5	763318	1	VALVE, VACUATOR



Item	Part No.	Qty	Name
1	605491	1	VAPOR LINE, 3/16 FORMED
2	605493	1	VAPOR LINE, 3/16 FORMED
3	605565	1	BOOT, 3/16 TO 3/16
4	605690	2	TEE, 3/16" PLASTIC
5	605535	1	VAPOR LINE, 3/16 FORMED
6	605425	1	CROSS, 3/16" PLASTIC
7	605564	1	BOOT, 3/16 TO 3/16
8	605534	1	VAPOR LINE, 3/16 FORMED
9	605492	1	VAPOR LINE, 3/16 FORMED
10	603326	29 cm	VAPOR LINE, 3/16"
Comments for Part Num. 603326			
Sold by the foot.			
11	604323	1	VAPOR SYSTEM FILTER
12	605533	1	VAPOR LINE, 3/16 FORMED
13	015818	58 cm	FUEL LINE, 1/4"
Comments for Part Num. 015818			
Sold by the foot.			
14	605601	1	FUEL SHUT-OFF VALVE
15	000323	4	CLIP, HOSE CLAMP
16	606581	1	FUEL TANK
Comments for Part Num. 606581			
IMPORTANT			
Before replacing Fuel Tank, refer to Service Bulletin 550.			
17	603807	1	CAP, 3.5" RATCHETING GAS
18	000331	8	WIRE TIE, SMALL/SHORT
19	602725	1	WIRE TIE,
20	604307	3	MOUNT, PUSH BUTTON
21	047456	1	GM .750X.188X1.00X.12
22	080358	1	GM .50X1.00X.75X.12
23	601503	4	CB .250-20 X .625 ZN
24	706531	2	GM 1.12X1.75X1.37X.12
25	016816	4	NT .250-20FLKG5
26	043570	2	CLIP - HOSE - SINGLE(FS)
27	124348-3	1	TANK NECK SUPPORT
28	781880	2	BUMPER, .500x 1.00x .31
29	605542	1	ISOLATOR



Item	Part No.	Qty	Name
30	016832	1	NT .312-18FLKG5
31	000430	1	WIRE TIE, SMALL/LONG

Comments for Page: Fuel System (Multi-Page)

FUEL & VAPOR LINE LENGTHS

A— FRONT RIGHT SIDE PORT TO TEE (VAPOR)

B— ENGINE TO CROSS (VAPOR)

C— TEE TO CROSS (VAPOR)

D— LEFT BACK PORT TO TEE (VAPOR)


E— FILLER NECK PORT TO TEE (VAPOR)

F— RIGHT BACK PORT TO TEE (VAPOR)


G—29 cm CROSS TO FILTER (VAPOR)

H—5 cm —VALVE TO ENGINE (FUEL)

J—53 cm— TANK TO VALVE (FUEL)



Item	Part No.	Qty	Name
1	605126K	1	SUCTION HOSE SVC KIT
2	604200K	5	GROMMET SVC KIT
3	604287K	4	VENT FITTING SVC KIT
4	605482K	1	FUEL SENDER SVC KIT
5	605648K	1	TANK GROMMET SVC KIT



Item	Part No.	Qty	Name
1	605558	1	FENDER LID
2	605627	1	CS .250-20 X 1.25 HX
3	605628	8	FW 0.281X.63X.07 ZB
4	601815	1	DECAL, BATTERY WARNINGS
5	601982	3	CN .250-20X .150 MAX THK
6	552858	1	BATTERY HOLD DOWN
7	713198	6 cm	SEAL 3/8x3/4 SOLD BY FT
8	605629	1	UNTHREADED PN 0.250 ID
9	605522	1	LH FENDER

Comments for Part Num. 605522

The 'decals' which are on this fender are 'in-mold labels' and not available for purchase separately.

10	604324	4	CS .250-20 X .75 HX FLG
11	605473	6	CS .250-20X0.75 BH TX BZ
12	605521	1	RH FENDER

Comments for Part Num. 605521

The 'decals' which are on this fender are 'in-mold labels' and not available for purchase separately.


13	016816	2	NT .250-20FLKG5
14	024927	2	NT .250-20HXG5
15	029868	4	LW .250 INTEXT ZN
16	055939	2	CS .250-20X0.75 HX G5 ZN

Comments for Page: Fenders & Battery

SEAL LENGTH:

A: 6 cm


1. Part of the instrument panel assembly.
2. When performing service on the mower, disconnect the negative battery cable (black) and do not reconnect it to the battery until ready to start the engine.
3. 552858 (battery hold down) includes the seal.



Item	Part No.	Qty	Name
1	786657	1	CABLE, CHOKE
2	776476	1	SWITCH, PTO 6201-321
3	605483	1	GAUGE, FUEL/HOURMETER
4	785808	1	KEY ASSEMBLY
5	045898	1	IGNITION SWITCH
6	808477	4	RIVET NUT, 1/4-20 THREA
7	601098	5	CB 10-24 X .500 ZYNC
8	552855	1	INSTR PANEL (W/ DECAL)
9	712257	1	INDICATOR LIGHT, RED(FS)
10	605605	1	DECAL, INST PANEL
11	778365	1	CABLE, THROTTLE
12	704932	2	FW 0.219X.50X.05 ZN
13	059832	5	NT #10-24 HX NL ZN
14	601982	2	CN .250-20X .150 MAX THK
15	000331	6	WIRE TIE, SMALL/SHORT
16	768515	2	FW 0.281SAE
17	056077	2	CS .250-20X1.000HXG5
18	016253	2	CB .312-18X .750 FUL ZN
19	000398	2	CLAMP - 50 CNT BAGS
20	016832	2	NT .312-18FLKG5
21	605554	1	WIRE HARNESS ADAPTER
22	605458	1	WIRE HARNESS, FSD/SMP
23	601053	2	RELAY, SEALED W/BACKET
24	114052	1	KIT, CLUTCH CONN. REP.
25	601047	1	HOLDER, FUSE

Comments for Page: Instrument Panel


1. Part of the wire harness.
2. The instrument panel includes the decal (605605).
3. The sealed relay includes a bracket.



Item	Part No.	Qty	Name
1	552872	1	48" SERVICE DECK
2	601837	2	DECAL, DECK DANGERS
3	601892	1	DECAL, THROWN OBJECTS
4	793976	1	DECAL, 48" DECK ID
5	781419	1	DECAL, BELT ROUTING
6	601624	1	DECAL, DISCHARGE CHUTE

Comments for Page: 48" Side Discharge Service Deck


1. The deck includes the decals.



Item	Part No.	Qty	Name
1	781567	3	NT .500-13NLG5
2	604486	3	FW .531X.812X.089 HD
3	605467	3	DUST SHIELD
4	605512	1	4" IDLER PULLEY
5	607616	1	SPRING, DECK IDLER
6	121052	1	SLED, TENSIONER
7	604790	2	IDLER SLIDE, EXTRUDED
8	604251	7	NT .312-18 HXNL JAM G2ZN
9	604252	6	FW .340X.68X.04 ZN
10	604253	1	CB .50-13 X 2.00 STD ZN
11	705954	3	CS .500-13X1.25 HX G5 ZN
12	798603	3	FW .515X1.65X.12 HD ZN
13	604777	3	SPINDLE SPACER
14	604665	3	PULLEY, DECK DRIVE B-SEC
15	605504	3	SPACER, PULLEY
16	606362	3	DUST SHIELD
17	054502	12	NT .375-16HXG5
18	767954	24	FW 0.379X.82X.06 HD ZN
19	605463	2	6.00" IDLER PULLEY
20	605465	1	BASE, IDLER PULLEY MOUNT
21	017129	1	FW .440X1.00X0.08 ZN
22	605508	1	FW .73X2.25X.31 ZN
23	605380	3	S/C TO 125981
24	005116	12	CS .375-16X1.38 HX G5 ZN
25	016253	7	CB .312-18X .750 FUL ZN
26	604254	2	CB .50-13 X 2.50 STD ZN

Comments for Page: 48" Side Discharge Deck Pulleys & Spindles

1. Torque to 99 N•m.
2. Torque to 41 N•m.
3. Torque to 4–8 N•m.



Item	Part No.	Qty	Name
1	553531	2	SVC PULLEY COVER,
2	602562	2	DECAL, NO SERVICE
3	604324	4	CS .250-20 X .75 HX FLG
4	086660	1	NT .375-16NLG8
5	791335	1	DECK BELT
6	605469	1	DISCHARGE CHUTE
7	602435	1	SPRING, TORSION
8	602432	1	PIN, CHUTE
9	602339	2	CB .50-13 X 4.50 STD ZN
10	604780	2	WHEEL, ANTI-SCALP
11	767962	3	FW .531 x 1.063 x .175
12	781567	5	NT .500-13NLG5
13	042630	2	CS .500-13X6.500HXG5
14	113717	2	PULLER W/A 14.53" C/C
15	602338	1	CB .50-13 X 7.50 STD ZN
16	602344	1	SPACER, ANTI- SCALP 5.73
17	602341	1	WHEEL, ANTI-SCALP
18	016253	2	CB .312-18X .750 FUL ZN
19	605376	1	DECK BUMPER
20	079210	2	FW 0.344X1.0X0.06 ZN
21	604251	2	NT .312-18 HXNL JAM G2ZN
22	606252	3	BLADE, 16.5"-H-F-CW
Not Shown	601014	3	BLADE, F16.50"-L-F-CW
Not Shown	601123	3	BLADE, 16.50"-L-F-CW
Not Shown	796631	3	BLADE, 16.50"-GAT-F-CW
Not Shown	796623	3	BLADE, 16.50"-MUL-F-CW
23	782474	3	CW .678 X 2.250 X .187
24	781872	3	CS .625-11X1.250HXG5

Comments for Page: 48" Side Discharge Deck


1. Torque to 2.7–6.8 N•m on these self-tapping screws.
2. Do not torque; the discharge chute must pivot freely.
3. Torque to 4–8 N•m.
4. Torque to 5–9 N•m.
5. Torque to 160 N•m.
6. These blades are approved for use with Catcher 606045:
606252 BLADE, 16.5"-H-F-CW
601123 BLADE, 16.50"-L-F-CW
796631 BLADE, 16.50"-GAT-F-CW

48" Side Discharge Deck

796623 BLADE, 16.50"-MUL-F-CW

7. The pulley cover includes the decal.


This page intentionally left blank



Item	Part No.	Qty	Name
1	553017	1	48" RD SERVICE DECK
2	601837	2	DECAL, DECK DANGERS
3	601892	2	DECAL, THROWN OBJECTS
4	793976	1	DECAL, 48" DECK ID
5	781419	1	DECAL, BELT ROUTING

Comments for Page: 48" Rear Discharge Service Deck


1. The deck includes the decals.



Item	Part No.	Qty	Name
1	781567	3	NT .500-13NLG5
2	604486	3	FW .531X.812X.089 HD
3	605467	3	DUST SHIELD
4	605512	1	4" IDLER PULLEY
5	124488-4	1	BELT GUIDE
6	607616	1	SPRING, DECK IDLER
7	121052	1	SLED, TENSIONER
8	604251	7	NT .312-18 HXNL JAM G2ZN
9	604252	6	FW .340X.68X.04 ZN
10	604790	2	IDLER SLIDE, EXTRUDED
11	604254	2	CB .50-13 X 2.50 STD ZN
12	781872	3	CS .625-11X1.250HXG5
13	017152	3	FW .688X1.75X.16 HD ZN
14	604661	6	SPACER, SPINDLE PULLEY
15	604665	3	PULLEY, DECK DRIVE B-SEC
16	606362	1	DUST SHIELD
17	054502	12	NT .375-16HXG5
18	767954	24	FW 0.379X.82X.06 HD ZN
19	017129	1	FW .440X1.00X0.08 ZN
20	607479	2	IDLER PULLEY, 5.00"
Not Shown	605463	2	6.00" IDLER PULLEY
21	605508	2	FW .73X2.25X.31 ZN
22	605465	1	BASE, IDLER PULLEY MOUNT
23	783506	3	BLADE SPINDLE ASSEMBLY
24	005116	12	CS .375-16X1.38 HX G5 ZN
25	016253	7	CB .312-18X .750 FUL ZN
26	021980	1	CB .500-13X 3.000 STD Z

Comments for Page: 48" Rear Discharge Deck Pulleys & Spindles


1. Torque to 99 N•m.
 2. Torque to 41 N•m.
 3. Torque to 160 N•m.
 4. Torque to 4–8 N•m.
 5. 607479 is used on mowers S/N 19124399 & higher.
- 605463 is used on mowers S/N prior to 19124399.



Item	Part No.	Qty	Name
1	036236	2	CS .312-18X1.000HXG5
2	604252	8	FW .340X.68X.04 ZN
3	058776	4	NT .312-18NLG5
4	122256	1	SHIELD, REAR DISCHARGE
5	122297	2	BRACKET, SHIELD MOUNT
6	034280	2	CS .312-18X0.750HXG5

Comments for Page: 48" Rear Discharge Debris Shield



1. Part of the transmission assembly.




Item	Part No.	Qty	Name
1	553531	2	SVC PULLEY COVER,
2	602562	2	DECAL, NO SERVICE
3	604324	4	CS .250-20 X .75 HX FLG
4	605507	1	DECK BELT
5	781567	3	NT .500-13NLG5
6	767962	1	FW .531 x 1.063 x .175
7	042630	2	CS .500-13X6.500HXG5
8	109434	2	PULLER, W/A 10.9" C/C
9	602338	1	CB .50-13 X 7.50 STD ZN
10	602344	1	SPACER, ANTI- SCALP 5.73
11	602341	1	WHEEL, ANTI-SCALP
12	601123	3	BLADE, 16.50"-L-F-CW
Not Shown	601014	3	BLADE, F16.50"-L-F-CW
Not Shown	796623	3	BLADE, 16.50"-MUL-F-CW
Not Shown	796631	3	BLADE, 16.50"-GAT-F-CW
13	782474	3	CW .678 X 2.250 X .187
14	781872	3	CS .625-11X1.250HXG5

Comments for Page: 48" Rear Discharge Deck

1. Torque to 2.7–6.8 N•m on these self-tapping screws.
2. Torque to 160 N•m.
3. Tighten to 5.4–9.5 N•m to remove play on the cap screw.




Item	Part No.	Qty	Name
1	122774	1	CE GUARD, FRONT LS
2	122775	1	CE GUARD, FRONT RS
3	601069	4	CN .312-18x.200 MAX THK
4	122753	1	CE GUARD EXT LS
5	016832	4	NT .312-18FLKG5
6	553545	1	SVC GUARD, RS
Not Shown	553544	1	SVC GUARD, LS
7	079210	4	FW 0.344X1.0X0.06 ZN
8	064006	4	CS .312-18X0.625HXG5
9	768523	4	FW 0.343SAE
10	064014	4	CS .312-18X0.875HXG5
11	553032	1	SVC GUARD, CLUTCH



Comments for Page: Rear Discharge CE Guard Kit (Multi-Page)


1. Part of the Rear Discharge Deck Assembly.



Item	Part No.	Qty	Name
1	552873	1	54" SERVICE DECK
2	781419	1	DECAL, BELT ROUTING
3	604221	1	DECAL, DANGER / CHUTE
4	799171	1	DECAL, Z 54" Deck ID
5	604222	1	DECAL, DANGER / OBJECTS

Comments for Page: 54" Service Deck


1. The deck includes the decals.



Item	Part No.	Qty	Name
1	781567	3	NT .500-13NLG5
2	604486	3	FW .531X.812X.089 HD
3	605467	3	DUST SHIELD
4	605512	1	4" IDLER PULLEY
5	607616	1	SPRING, DECK IDLER
6	121052	1	SLED, TENSIONER
7	604790	2	IDLER SLIDE, EXTRUDED
8	604251	7	NT .312-18 HXNL JAM G2ZN
9	604252	6	FW .340X.68X.04 ZN
10	604253	1	CB .50-13 X 2.00 STD ZN
11	705954	3	CS .500-13X1.25 HX G5 ZN
12	798603	3	FW .515X1.65X.12 HD ZN
13	604777	3	SPINDLE SPACER
14	604664	3	PULLEY, DECK DRIVE B-SEC
15	605504	3	SPACER, PULLEY
16	606362	3	DUST SHIELD
17	054502	12	NT .375-16HXG5
18	767954	24	FW 0.379X.82X.06 HD ZN
19	605463	2	6.00" IDLER PULLEY
20	605465	1	BASE, IDLER PULLEY MOUNT
21	017129	1	FW .440X1.00X0.08 ZN
22	605508	1	FW .73X2.25X.31 ZN
23	605380	3	S/C TO 125981
24	005116	12	CS .375-16X1.38 HX G5 ZN
25	016253	7	CB .312-18X .750 FUL ZN
26	604254	2	CB .50-13 X 2.50 STD ZN

Comments for Page: 54" Deck Pulleys & Spindles

1. Torque to 99 N•m.
2. Torque to 41 N•m.
3. Torque to 4–8 N•m.



Item	Part No.	Qty	Name
1	553064	1	SVC, PULLEY COVER RH
2	553065	1	SVC, PULLEY COVER LH
3	604324	4	CS .250-20 X .75 HX FLG
4	602562	2	DECAL, NO SERVICE
5	086660	1	NT .375-16NLG8
6	786483	1	DECK BELT
7	605469	1	DISCHARGE CHUTE
8	602435	1	SPRING, TORSION
9	602432	1	PIN, CHUTE
10	079210	2	FW 0.344X1.0X0.06 ZN
11	604251	2	NT .312-18 HXNL JAM G2ZN
12	605376	1	DECK BUMPER
13	016253	2	CB .312-18X .750 FUL ZN
14	602339	2	CB .50-13 X 4.50 STD ZN
15	604780	2	WHEEL, ANTI-SCALP
16	767962	3	FW .531 x 1.063 x .175
17	781567	5	NT .500-13NLG5
18	602341	1	WHEEL, ANTI-SCALP
19	602344	1	SPACER, ANTI- SCALP 5.73
20	602338	1	CB .50-13 X 7.50 STD ZN
21	113717	2	PULLER W/A 14.53" C/C
22	042630	2	CS .500-13X6.500HXG5
23	606251	3	BLADE, 18.50"-H-F-CW
Not Shown	601012	3	BLADE F18.50"-L-F-CW
Not Shown	601124	3	BLADE, 18.50"-L-F-CW
Not Shown	797704	3	BLADE, 18.50"-MUL-F-CW
Not Shown	797712	3	BLADE, 18.50"-GAT-F-CW
24	782474	3	CW .678 X 2.250 X .187
25	781872	3	CS .625-11X1.250HXG5

Comments for Page: 54" Deck

1. Torque to 3-6 N•m on these self-tapping screws.
2. Do not torque; the discharge chute must pivot freely.
3. Torque to 4-8 N•m.
4. Torque to 160 N•m.
5. These blades are approved for use with Catcher 606045:

606251 BLADE, 18.5"-H-F-CW

601124 BLADE, 18.5"-L-F-CW

797712 BLADE, 18.5"-GAT-F-CW


54" Deck

Hustler FasTrak SDX CE Parts Manual

797704 BLADE, 18.5"-MUL-F-CW

6. The pulley covers include the decals.


This page intentionally left blank



Item	Part No.	Qty	Name
1	552874	1	60" SERVICE DECK
2	781419	1	DECAL, BELT ROUTING
3	604222	1	DECAL, DANGER / OBJECTS
4	786277	1	DECAL, 60 DECK ID
5	604221	1	DECAL, DANGER / CHUTE

Comments for Page: 60" Service Deck


1. The deck includes the decals.



Item	Part No.	Qty	Name
1	781567	3	NT .500-13NLG5
2	604486	3	FW .531X.812X.089 HD
3	605467	3	DUST SHIELD
4	605512	1	4" IDLER PULLEY
5	607616	1	SPRING, DECK IDLER
6	121052	1	SLED, TENSIONER
7	604790	2	IDLER SLIDE, EXTRUDED
8	604251	7	NT .312-18 HXNL JAM G2ZN
9	604252	6	FW .340X.68X.04 ZN
10	604253	1	CB .50-13 X 2.00 STD ZN
11	705954	3	CS .500-13X1.25 HX G5 ZN
12	798603	3	FW .515X1.65X.12 HD ZN
13	604777	3	SPINDLE SPACER
14	604704	3	PULLEY, DECK DRIVE B-SEC
15	605504	3	SPACER, PULLEY
16	606362	3	DUST SHIELD
17	054502	12	NT .375-16HXG5
18	767954	24	FW 0.379X.82X.06 HD ZN
19	605463	2	6.00" IDLER PULLEY
20	605465	1	BASE, IDLER PULLEY MOUNT
21	017129	1	FW .440X1.00X0.08 ZN
22	605508	1	FW .73X2.25X.31 ZN
23	605380	3	S/C TO 125981
24	005116	12	CS .375-16X1.38 HX G5 ZN
25	016253	7	CB .312-18X .750 FUL ZN
26	604254	2	CB .50-13 X 2.50 STD ZN

Comments for Page: 60" Deck Pulleys & Spindles

1. Torque to 99 N•m.
2. Torque to 41 N•m.
3. Torque to 5–8 N•m.



Item	Part No.	Qty	Name
1	553064	1	SVC, PULLEY COVER RH
2	604324	4	CS .250-20 X .75 HX FLG
3	553065	1	SVC, PULLEY COVER LH
4	602562	2	DECAL, NO SERVICE
5	605469	1	DISCHARGE CHUTE
6	602435	1	SPRING, TORSION
7	086660	1	NT .375-16NLG8
8	605510	1	DECK BELT
9	602432	1	PIN, CHUTE
10	602339	2	CB .50-13 X 4.50 STD ZN
11	604780	2	WHEEL, ANTI-SCALP
12	767962	3	FW .531 x 1.063 x .175
13	781567	5	NT .500-13NLG5
14	113717	2	PULLER W/A 14.53" C/C
15	042630	2	CS .500-13X6.500HXG5
16	602338	1	CB .50-13 X 7.50 STD ZN
17	602344	1	SPACER, ANTI- SCALP 5.73
18	602341	1	WHEEL, ANTI-SCALP
19	605376	1	DECK BUMPER
20	079210	2	FW 0.344X1.0X0.06 ZN
21	604251	2	NT .312-18 HXNL JAM G2ZN
22	016253	2	CB .312-18X .750 FUL ZN
23	606253	3	BLADE, 20.5"-H-F-CW
Not Shown	600901	3	BLADE, F20.50"-L-F-CW
Not Shown	793794	3	BLADE,20.50"-L-F-CW
Not Shown	794214	3	BLADE,20.50"-MUL-F-CW
Not Shown	794230	3	BLADE,20.50"GAT-F-CW
Not Shown	794685	3	BLADE, F20.50"-H-F-CW
24	782474	3	CW .678 X 2.250 X .187
25	781872	3	CS .625-11X1.250HXG5

Comments for Page: 60" Deck

1. Torque to 160 N•m.
2. Torque to 3–7 N•m on these self-tapping screws.
3. Do not torque; the discharge chute must pivot freely.
4. Torque to 4–8 N•m.
5. These blades are approved for use with Catcher 606045:
606253 BLADE, 20.5"-H-F-CW

60" Deck


Hustler FasTrak SDX CE Parts Manual

794214 BLADE, 20.5"-MUL-F-CW


793794 BLADE, 20.50"-L-F-CW

6. The pulley covers include the decals.


This page intentionally left blank



Item	Part No.	Qty	Name
1	783548	1	RING, BLADE SPINDLE RET
2	607275	2	BLADE SPINDLE BEARING
3	783530	1	SPACER, BLADE SPINDLE
4	783514	1	HOUSING, BLADE SPINDLE
5	605381	1	SHAFT, SPINDLE, CONSUMER





Item	Part No.	Qty	Name
1	605466	1	TRANSPORT LATCH
2	768259	2	BUSHING,IGUS#0810 (FS)
3	605470	1	CE .500X2.00X1.63
4	553089	1	INDICATOR PLATE CE
5	793059	2	CLIP E,(1/2").80X.396X.
6	710194	2	CB .375-16X 1.50 STD G5
7	601963	1	PIN, DECK HEIGHT STOP
8	605538	1	DECAL, DECK HEIGHT
9	119970	1	CUT HEIGHT BRKT, INNER
10	119969	1	INDICATOR BRACKET
11	118900	2	SPACER, DECK LIFT LINK
12	767954	6	FW 0.379X.82X.06 HD ZN
13	086660	4	NT .375-16NLG8
14	008938	1	TENSION SPRING-PLATED
15	601486	1	EB, .375-16X3.00 FULTHD
16	054502	2	NT .375-16HXG5
17	120779	1	ASSIST SPRING BRKT
18	603113	2	CB .375-16X1.250 G5 ZN
19	055749	8	CS .437-14X1.750HXG5
20	124354-1	4	DECK LIFT LINK
21	704643	16	NT .437-14FLKG5
22	078949	2	CS .500-13X2.000 FUL HX
23	767962	4	FW .531 x 1.063 x .175
24	008193	2	NT .500-13HXG5




Comments for Page: Deck Lift (Multi-Page)

1. 553089 (indicator plate) includes the decal.




Item	Part No.	Qty	Name
1	552999	1	SVC GUARD, RHS DECK
2	122752	1	CE GUARD EXT RS
3	029710	4	CS .312-18X .750 HXFLK
4	768523	4	FW 0.343SAE
5	016832	4	NT .312-18FLKG5
6	064014	4	CS .312-18X0.875HXG5
7	079210	4	FW 0.344X1.0X0.06 ZN
8	601069	4	CN .312-18x.200 MAX THK
9	122753	1	CE GUARD EXT LS
10	552998	1	SVC GUARD, LHS DECK
11	553032	1	SVC GUARD, CLUTCH



Comments for Page: Side Discharge CE Guard Kit (Multi-Page)


1. Part of the Engine Guard Assembly.



Item	Part No.	Qty	Name
1	606474	1	SEAT
2	123688-1	1	HYDRO GUARD, RH
3	036244	8	CS .375-16X1.00 HX G5 ZN
4	767954	8	FW 0.379X.82X.06 HD ZN
5	604324	4	CS .250-20 X .75 HX FLG
6	123689-1	1	HYDRO GUARD, LH
7	601967	1	DECAL, ENGINE COMPART
8	779280	1	DECAL, HOT & HYD OIL
9	605782	1	DECAL, LEVEL FUEL BLOWM
10	553090	1	SEAT PAN CE (WITH DECAL)
11	602562	1	DECAL, NO SERVICE
12	712927	4	FW 0.344X1.00X.12 HD ZN
13	058776	4	NT .312-18NLG5
14	713198	15"	SEAL 3/8x3/4 SOLD BY FT
15	601758	2	CN .375-16x.200 MAX THK
16	120802	1	SEAT SUPPORT
17	602407	1	DECAL, HUSTLER ID
18	552856	1	FOOTREST (WITH DECAL)
19	029629	2	CS .375-16X0.75 HXF G5ZN

Comments for Page: Seat - S/N 16123305 & Higher

LENGTHA: 5.0"1. Torque to 9.5 N•m.3. The footrest includes the decal.




Item	Part No.	Qty	Name
1	605812	1	SEAT W/ ISOLATOR
Not Shown	605566	1	SEAT, 2 PIECE
2	121069	1	HYDRO GUARD, RH
3	036244	8	CS .375-16X1.00 HX G5 ZN
4	767954	8	FW 0.379X.82X.06 HD ZN
5	604324	4	CS .250-20 X .75 HX FLG
6	601967	1	DECAL, ENGINE COMPART
7	600899	1	DECAL, PUMP BELT WARNING
8	552853	1	SEAT PAN (WITH DECALS)
9	712927	4	FW 0.344X1.00X.12 HD ZN
10	058776	4	NT .312-18NLG5
11	121070	1	HYDRO GUARD, LH
12	779280	1	DECAL, HOT & HYD OIL
13	605782	1	DECAL, LEVEL FUEL BLOWM
14	601758	2	CN .375-16x.200 MAX THK
15	552848	1	SEAT SUPPORT (WITH TAPE)
16	713198	38 cm	SEAL 3/8x3/4 SOLD BY FT
17	602407	1	DECAL, HUSTLER ID
18	552856	1	FOOTREST (WITH DECAL)
19	029629	2	CS .375-16X0.75 HXF G5ZN

Comments for Page: Seat - S/N Prior to 16123305


SEAL LENGTH

A: 5.0"


1. Torque to 23 N•m.
2. The footrest includes the decal.
3. 605812 is used on mowers S/N 16020001 & higher.
605566 is used on mowers S/N prior to 16020001.



Item	Part No.	Qty	Name
Not Shown	606474	1	SEAT
1	606572	1	SVC, SEAT BACK COVER
2	605615	1	ARM REST (PAIR)
3	604945	1	SEAT BELT (SET)
4	606571	1	SVC, SEAT BOTTOM COVER
5	603148	1	N/O SEAT SWITCH
6	793315	1	SWITCH, SNAP MOUNT
7	606568	2	SVC, ISO MOUNT STRAP/SER
8	606570	1	SVC, SLIDE/ SERVICE ONLY
9	125091	4	SVC, ISO MOUNT KIT



Item	Part No.	Qty	Name
Not Shown	605812	1	SEAT W/ ISOLATOR
1	605614	1	SVC SELL 605566 SEAT
2	605613	1	SVC SELL 605566 SEAT
3	605615	1	ARM REST (PAIR)
4	604945	1	SEAT BELT (SET)
5	122166	1	SEATKING ISOLATOR KIT
6	603148	1	N/O SEAT SWITCH



Item	Part No.	Qty	Name
1	605479	1	ROPS ASSY
2	605044	1	KIT, ROPS HARDWARE
3	605646	2	KIT, POLY STOP (PAIR)
4	023317	4	NT .500-13UNTG8
5	767962	8	FW .531 x 1.063 x .175
6	061812	4	CS .500-13X3.50 HX G5 ZN
7	605691	1	DECAL, COMMERCIAL DUTY

Comments for Page: ROPS

1. Torque to 99 N•m.